Form MR-SMO (Revised March 13, 2007)

I.

This Section for DOGM Use:		
Assigned DOGM File No.:	S	
DOGM Lead:		
Permit Fee \$	Ck#	2

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

1594 West North Temple Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

Telephone: (801) 538-5291 Fax: (801) 359-3940

## NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1987, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

"Small Mining Operations" mining operations which have a disturbed area of five or less surface acres at any time.

<u>G</u>	ENERAL INFORMATION (Rule R647-3-104)
1.	Name of Mine: Rhyolite Beryl Pit #1
2.	Legal name of entity (or individual) for whom the permit is being requested: <u>Company I, Inc.</u>
	Mailing Address: —809 E Commerce Drive City, State, Zip: St George, UT 84790 Phone: (435)634-1266 Fax: (435)674-5119
	E-mail Address: nadine@coughlincompany.com
	Type of Business: Corporation (X ) LLC ( ) Sole Proprietorship (dba) ( ) Partnership ( ) General————————————————————————————————————
	Individual ( )
	Entity must be registered (and maintain registration) with the State of Utah, Division of Corporations (DOC) <a href="https://www.commerce.utah.gov">www.commerce.utah.gov</a> .  Are you currently registered to do business in the State of Utah?(Circle One)  Yes No Entity #713324-0142  If no, contact <a href="https://www.commerce.utah.gov">www.commerce.utah.gov</a> to renew or apply.
	Land Device a live and the control of the control o
	Local Business License # 00010496 (if required)  Issued by: County or City St George, UT
3.	Contact Person(s) Name: Darren Coughlin Title: pres
	Address: 809 E Commerce Drive City, State, Zip: St George, UT 84790 Phone: (435)634-1266 Fax: (435)674-5119 Emergency, Weekend, or Holiday Phone: (435)703-1268 E-mail Address: darren@coughlincompany.com

MAR 3 0 2009

THE OF CHARLES & MINING

#### apply) Name: Nadine Woolsey - Title: Sec/trea Address: 809 E Commerce Drive City, State, Zip: St George, UT 84790 Phone: (435)634-1266 Fax: (435)674-5119 Emergency, Weekend, or Holiday Phone:-(435)862-3648 E-mail Address: nadine@coughlincompany.com Contact person to be notified for: permitting (X ) surety (X ) Notices (X ) (please check all that apply) Registered Utah Agent (as identified with the Utah Department of Commerce) (if individual leave blank): Name: Address City, State, Zip: Phone: Fax: E-mail Address: 4. If Business is a Sole Proprietor: Name of Owner: Title: **Business Address:** City, State, Zip: Phone: Fax: E-mail Address: If Business is a Corporation: Name of Officers: - Darren Coughlin Title: pres Tara Coughlin Title: v pres Nadine Woolsey Title: sec/treas Title: Headquarters Address: 809 E Commerce Drive City, State, Zip: St George, UT 84790 Headquarters Phone: (435)634-1266 (435)674-5119 E-mail Address: nadine@coughlincompany.com If Business is a Limited Liability Company: Member Managed ☐ Manager Managed ☐ Name of 1<sup>st</sup> Member/Manager: **Business Address:** City, State, Zip: Phone: Fax: E-mail Address: Name of 2<sup>nd</sup> Member/Manager: **Business Address:** City, State, Zip: Phone: Fax: E-mail Address:-If Business is a Partnership: Name of Partner: -**Business Address:** City, State, Zip: Fax: Phone: E-mail Address:

Contact person to be notified for: permitting ( X) surety (X ) Notices ( X) (please check all that

	Private (Fee) Public Doma State Trust Land/School Section	
	Other (please describe):  Name BLM	
	Name BLIVI	Address 440 W 200 S, SLC, UT 84101
		Address
	Name-	710d1000
	Name	Address
6.	Ownership of Minerals: (circ	le appropriate agency) and provide address
	Private (Fee) Public Doma State Trust Land/School Section Other (please describe):	
	Name BLM	Address 440 W 200 S, SLC, UT 84101
	Name	Address
	Name	Address
	Name	Address
	BLM Lease or Project File Num been filed) and/or USFS assign	ber(s)(as provided by the BLM Field office once <del>a permit has</del> ed Project Number(s):e
7.	BLM Claim Numbers  Utah State Lease Number(s):  Name of Lessee(s)  Have the above surface and n	ed Project Number(s):
7.	BLM Claim Numbers  Utah State Lease Number(s):  Name of Lessee(s)  Have the above surface and n	ed Project Number(s):
	been filed) and/or USFS assign  BLM Claim Numbers  Utah State Lease Number(s):  Name of Lessee(s)  Have the above surface and nowes  If no, why not?	ed Project Number(s):easing  nineral owners been notified in writing?  No
ease be ning ali plorationds Ac	been filed) and/or USFS assign  BLM Claim Numbers  Utah State Lease Number(s):  Name of Lessee(s)  Have the above surface and means of the surface and surface	nineral owners been notified in writing?

Name of Quad Map for Location:  2. Location and Operations maps must be plotted at a scale to accurately identify locational landmarks and operations details. All maps must include a north arrow, scale, appropriate labels, and title box including the mine name, township, range and section.  a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000") and identify new or existing access roads.  b. The operations map (1"=200" or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed;  ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and  iii. Any adjacent previous disturbance for which the operator is not responsible.  (Contact the Division for a list of consultants and land surveyors for mapping assistance.)  3. The proposed (5 acre or less) disturbed area (including access/haul roads) should be mark in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.  OPERATION PLAN (Rule R647-3-106)  1. Type of mining: (circle one) Surface Underground  2. Mineral(s) to be mined: Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  OPERATION PLAN (Rule R647-3-106)  Type of mining: (circle one) Surface Underground  2. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one)  Yes (loc) If yes, please describe (add extra pages if needed)	•	PROJECT LOCATION & MAP (Rule R647-3-105)
1/4, of 1/4, of 1/4: Section: 35-9E Township: 95-9: Range: 17-W 1/4, of 1/4: Section: Township: Range: 17-W 1/4, of 1/4: Section: Township: Range: 17-W 1/4: Section: Range: 17-	1.	Project Location & Map (legal description):
1/4, of 1/4, of 1/4: Section: Township: Range: 1/4, of 1/4: Of 1/4: Section: Township: Range: 1/4, of 1/4: Of 1/4: Section: Township: Range: 1/4, of 1/4: Of 1/4: Section: Township: Range: 1/4. of 1/4: Of 1/4: Section: Township: Range: 1/4. of 1/4: Of 1/4: Section: Township: Range: 1/4: Of 1/4:		County(ies):-Iron
Name of Quad Map for Location:  2. Location and Operations maps must be plotted at a scale to accurately identify locational landmarks and operations details. All maps must include a north arrow, scale, appropriate labels, and title box including the mine name, township, range and section.  a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000") and identify new or existing access roads.  b. The operations map (1"=200" or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed;  ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and iii. Any adjacent previous disturbance for which the operator is not responsible. (Contact the Division for a list of consultants and land surveyors for mapping assistance.)  3. The proposed (5 acre or less) disturbed area (including access/haul roads) should be mark in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.  1. OPERATION PLAN (Rule R647-3-106)  1. Type of mining: (circle one) Surface Underground  2. Mineral(s) to be mined: Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  (No If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).		1/4, of 1/4, of 1/4: Section: 35 SE Township: 35 S Range: 17 W 1/4, of 1/4, of 1/4: Section: Township: Range: 17 W 1/4, of 1/4, of 1/4: Section: Township: Range: Range: 1/4, of 1/4: Section: Township: Range: 1/4, of 1/4: Section: Township: Range: Range: Township: Range:
2. Location and Operations maps must be plotted at a scale to accurately identify locational landmarks and operations details. All maps must include a north arrow, scale, appropriate labels, and title box including the mine name, township, range and section.  a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000") and identify new or existing access roads.  b. The operations map (1"=200" or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed; ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and iii. Any adjacent previous disturbance for which the operator is not responsible.  (Contact the Division for a list of consultants and land surveyors for mapping assistance.)  3. The proposed (5 acre or less) disturbed area (including access/haul roads) should be mark in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.  I. OPERATION PLAN (Rule R647-3-106)  1. Type of mining: (circle one) Surface. Underground  2. Mineral(s) to be mined: —Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  Visible of the mining or milling process? (circle one) Yes (No. If yes, please describe (add extra pages if needed)		UTM East (if known) UTM North (If known)
landmarks and operations details. All maps must include a north arrow, scale, appropriate labels, and title box including the mine name, township, range and section.  a. The <u>general location map</u> must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000') and identify new or existing access roads.  b. The <u>operations map</u> (1"=200' or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed;  ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and  iii. Any adjacent previous disturbance for which the operator is not responsible.  (Contact the Division for a list of consultants and land surveyors for mapping assistance.)  3. The proposed (5 acre or less) disturbed area (including access/haul roads) should be mark in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.  1. OPERATION PLAN (Rule R647-3-106)  1. Type of mining: (circle one) Surface Underground  2. Mineral(s) to be mined: Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one)  Yes (No If yes, please describe (add extra pages if needed)		Name of Quad Map for Location:
in the field ON THE GROUND with metal T-Posts (or with some other marker of equal effectiveness). Markers should be appropriately spaced so that the next marker in either direction is clearly visible with the naked eye.  II. OPERATION PLAN (Rule R647-3-106)  1. Type of mining: (circle one) Surface Underground  2. Mineral(s) to be mined: Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one)  Yes (No If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Down to Rule Roch, mobile Crusher, booker +Truckerom MR-SMO	2.	labels, and title box including the mine name, township, range and section.  a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000') and identify new or existing access roads.  b. The operations map (1"=200' or other scale as determined necessary by the Division) must be labeled and identify:  i. The area to be disturbed;  ii. The location of any existing or proposed operations including access roads, drill holes, trenches, pits, shafts, cuts, or other planned activities; and  iii. Any adjacent previous disturbance for which the operator is not responsible.
1. Type of mining: (circle one) Surface Underground 2. Mineral(s) to be mined: Rhyolite 3. Amount of material to be extracted, moved, or proposed to be moved:  4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one) Yes (No If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Dozza to Russ Roch, mobile Cruber, boden + Truch	3.	effectiveness). Markers should be appropriately spaced so that the next marker in either
2. Mineral(s) to be mined: Rhyolite  3. Amount of material to be extracted, moved, or proposed to be moved:  4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one)  Yes (No) If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Dozen to Dis Roch, mobile Cruber, boden & Trucker.	II.	OPERATION PLAN (Rule R647-3-106)
4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one) Yes (No) If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Dozza to Bus Rock, mobile Crubus, Loader & Truckers.	1.	Type of mining: (circle one) Surface Underground
4. Will any water, liquid chemicals, reagents, or other solutions be used, produced or discharged as part of the mining or milling process? (circle one) Yes (No) If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Dozza to Rep Roch, mobile Crusher, Looder & Truck	2.	Mineral(s) to be mined: Rhyolite
discharged as part of the mining or milling process? (circle one) Yes (No) If yes, please describe (add extra pages if needed)  5. Provide a brief description of the proposed mining operation and onsite processing facilities (add extra pages if necessary).  Dozze to Dip Lock, mobile Cruster, Looder & Truck	3.	
facilities (add extra pages if necessary).  Dozze to Rip Roch, mobile Cruber, Loader & Truch	4.	discharged as part of the mining or milling process? (circle one)
	5.	facilities (add extra pages if necessary).
	orm MR 3132007	

<u>Practica</u>	I Guide to Reclamation in Utah, available at www.ogm.utah.gov.	Field Code Changed
to public preminir reclama	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards as safety, return the land to a useful condition, and reestablish at least 70 percent of the ground cover. To accomplish this, the Permittee / Operator will need to perform tion concurrently, or at the completion (within one (1) year) of mining. Please refer to The	
IV.	OPERATION AND RECLAMATION PRACTICES (Rule R647-3-107, 108 & 109)	
9. 10.	Proposed startup date (month, year)  Proposed completion date, if known (month, year)	
8.	Total project surface acreage to be disturbed: 3 (acres) PLEASE SPECIFY EXACT ACREAGE - (this will be used to determine surety bond amount – see #VI).	
7. existing improve	Improved Road(s): Provide a description of the improvements that need to be made to roads to access the site, including the Length (ft) and Width (ft) of ments.	
6.	New Road(s): Length ————————————————————————————————————	

- 1. Keep the mining operation in a safe, clean, and environmentally stable condition.
- 2. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
- 3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.
- 4. Construct berms, fences, or barriers, when needed, above highwalls and excavations.
- Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
- 6. Remove all waste or debris from stream channels.
- 7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
- 8. Conduct mining activities so as to minimize erosion and control sediment.
- 9. Reclaim all roads that are not part of a permanent transportation system.
- 10. Stockpile topsoil and suitable overburden prior to mining.
- 11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
- Properly prepare seedbed to a depth of six inches by pocking, ripping, discing, or harrowing. Leave the surface rough.
- Reseed disturbed areas with adaptable species. (The Division recommends a mixture of species of grass, forb, and browse seed, and will provide a specific species list if requested.)
- Plant the seed with a rangeland or farm drill, or broadcast the seed. Fall is the preferred time to seed.

## V. <u>VARIANCE REQUEST</u> (Rule R647-3-110)

Form MR-SMO 03132007

#### Any variance request must be approved in writing by the Division

Any planned deviations from Rules R647-3-107, Operation Practices, R647-3-108, Hole Plugging Requirements, or R647-3-109, Reclamation Practices, as summarized above (see IV. Operation and Reclamation Practices Item # 1-14), should be identified below listing applicable rule number. Give justification for the variance(s) and alternate methods or measure to be utilized. Written approval from the Division will be given, if the proposed alternative methods to be used are consistent with the Act.

Are varianc	es being requested? (Circle One) Yes ( No )
1 <sup>st</sup> Variance	Requested
Item #	Applicable Rule # (i.e. R647-3-109.10 (if you did not want trenches & pits reclaimed)

Justification:

Alternate methods or measure to be utilized:

Attach additional page if more variances are requested.

## VI. SURETY (Utah Code Ann. §40-8-7(1)[c])

A reclamation contract and surety must be provided to and approved by the Division prior to commencement of operations. All mining operations are required to furnish and maintain reclamation surety to guarantee that the land affected is reclaimed (Utah Code Ann. §40-8-7(1)[c]).

The reclamation surety amount is based on the nature, extent and duration of operations. The amounts are based on data from current large mine surety and are used as a general guide, along with actual site conditions. Reclamation surety for small mines is reviewed every three (3) or five (5) years and adjusted as necessary for inflation/deflation based upon acceptable Costs Index. Contact the Division for the dollar amount required for a three (3) or five (5) year period for this project.

have provided or will pro	vide surety in the form of:	( circle one)		
Certificate of Deposit		Surety Bond	Cash (c	ertified funds)
Other -		— (please ident	ify)ù	indecided

### VII. PERMIT FEE (Utah Code Ann. §40-8-7(1)(i))

A permittee's authorization under a notice of intention to conduct small mining operations shall require the paying of permit fees as authorized by the Utah Legislature (R647-3-102.5). Permit fees are assessed to <a href="new">new</a> and <a href="existing">existing</a> small mining operations, and annually thereafter, until the project disturbances are successfully reclaimed by the Permittee / Operator and released by the Division.

Small Mine Notices require a \$150.00 fee, which must accompany this application, or the Division cannot process it.

Form MR-SMO 03132007

## VIII. SIGNATURE REQUIREMENT

(Please check the box if applicable and place your initials on the line provided)

I have enclosed the required permit fee.
I have requested or submitted a Reclamation Contract (Form MR-RC) and the appropriate reclamation surety amount or have made arrangements as to when the surety will be furnished.

I understand that I am not authorized to create any surface disturbance until the

CERTIFICATION

I state under penalty of perjury under the laws of the state of Utah and the United States of America that:

Mining and any other authorized regulatory agency.

 a. I have read this form and declare the information, statements and/or documentation are true, correct and complete to the best of my knowledge and belief; AND

surety amount is posted and approved in writing from the Division of Oil, Gas and

- I commit to the reclamation of the aforementioned small mining project as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.
- c. **This certification must be signed by:** (1.) an executive officer if the applicant is a corporation; (2.) a partner if applicant is a partnership (general or limited); (3.) the owner if applicant is a sole proprietorship; **or** (4.) the member or manager if applicant is a limited liability company.

Signature:	Date:_	3.25.	09	_
Name (typed or printed): Darren Coughlin				
Title/Position (if applicable): pres				

H:\smo-03132007-latest.doc

